Volume 54

Author Index

Allingham, R., see Enyaru, J.C.K., (54) 31
Arbaji, A.K., Gradoni, L. and Gramiccia, M.
Leishmanin skin test survey in a focus of high endemicity of *Leishmania major* in Jordan, (54) 77

Bacchi, C.J. and Yarlett, N.
Effects of antagonists of polyamine metabolism on African trypanosomes, (54) 225
Bajyana Songa, E., see Maes, L., (54) 261
Bendtzen, K., see Reimert, C.M., (54) 1
Berger, B.J., Carter, N.S. and Fairlamb, A.H.
Polyamine and pentamidine metabolism in African trypanosomes, (54) 215
Billingsley, P., see Smith, T., (54) 55
Björkman, A., see Hogh, B., (54) 105
Bos, O.J.M., see Vansterkenburg, E.L.M., (54) 237
Bremer, H.J., see Leichsenring, M., (54) 99
Bromidge, T., see Enyaru, J.C.K., (54) 31
Brun, R., see Kaminsky, R., (54) 279

Carasco, J.F., see Enyaru, J.C.K., (54) 31
Carter, N.S., see Berger, B.J., (54) 215
Charlwood, J.D., see Smith, T., (54) 55
Christensen, N.Ø., see Reimert, C.M., (54) 1
Chuma, F., see Kaminsky, R., (54) 19
Coppens, I., see Vansterkenburg, E.L.M., (54) 237
Curtis, C.F., see Mnzava, A.E.P., (54) 141

Dhanda, V., see Srinivasan, R., (54) 125
Doehring-Schwerdtfeger, E., see Leichsenring, M., (54) 99
Dolopaye, E., see Hogh, B., (54) 105
Doua, F. and Yapo, F.B.
Human trypanosomiasis in the Ivory Coast: therapy and problems, (54) 163

Enyaru, J.C.K., Allingham, R., Bromidge, T., Kanmogne, G.D. and Carasco, J.F.
The isolation and genetic heterogeneity of *Trypanosoma brucei gambiense* from north-west Uganda, (54) 31

Fairlamb, A.H., see Berger, B.J., (54) 215
Fischer, M.J.E., see Vansterkenburg, E.L.M., (54) 237
Fletcher, M., see Workneh, W., (54) 89

Gottschau, A., see Hogh, B., (54) 105
Gradoni, L., see Arbaji, A.K., (54) 77
Gramiccia, M., see Arbaji, A.K., (54) 77
Gray, M.A. and Peregrine, A.S.
An in vitro assay for drug sensitivity of *Trypanosoma congolense* using in vitro-derived metacyclic trypanosomes, (54) 291
Gregory, R.D. and Woolhouse, M.E.J.
Quantification of parasite aggregation: a simulation study, (54) 131
Guifeng, Y., see Zhaowu, W., (54) 83

Hamers, R., see Maes, L., (54) 261
Hanson, A.P., see Hogh, B., (54) 105
Hobbs, R.P., see Hopkins, R.M., (54) 117
Hogh, B., Marbiah, N.T., Petersen, E., Dolopaye, E., Willcox, M., Björkman, A., Hanson, A.P. and Gottschau, A.
Classification of clinical falciparum malaria and its use for the evaluation of chemosuppression in children under six years of age in Liberia, West Africa, (54) 105
Holmes, P.H., see Sutherland, I.A., (54) 271
Hopkins, R.M., Thompson, R.C.A., Hobbs, R.P., Lymbery, A.J., Villa, N. and Smithyman, T.M.
Differences in antigen expression within and between 10 isolates of *Giardia duodenalis*, (54) 117

Irare, S.G., see Mnzava, A.E.P., (54) 141

Janssen, L.H.M., see Vansterkenburg, E.L.M., (54) 237
Jennings, F.W.
Combination chemotherapy of CNS trypanosomiasis, (54) 205
Jinhua, Z., see Zhaowu, W., (54) 83

Kaiming, B., see Zhaowu, W., (54) 83
Kaminsky, R. and Brun, R.

In vitro assays to determine drug sensitivities of African trypanosomes: a review, (54) 279
Kaminsky, R., see Zweygarth, E., (54) 301
Kaminsky, R., Mamman, M., Chuma, F. and Zweygarth, E.
Time-dose-response of *Trypanosoma brucei brucei* to diminazene aceturate (Berenil) and in vitro simulation of drug-concentration–time profiles in cattle plasma, (54) 19
Kanmogne, G.D., see Enyaru, J.C.K., (54) 31
Kharazmi, A., see Reimert, C.M., (54) 1
Kihonda, J., see Smith, T., (54) 55
Kinabo, L.D.B.
Pharmacology of existing drugs for animal trypanosomiasis, (54) 169
Kuzoe, F.A.S.
Current situation of African trypanosomiasis, (54) 153

Laryea, M.D., see Leichsenring, M., (54) 99
Leichsenring, M., Doehring-Schwerdtfeger, E., Laryea, M.D. and Bremer, H.J.
Scaly skin alterations and plasma fatty acids in Congolese children, (54) 99
Liping, Y., see Zhaowu, W., (54) 83
Lyimo, E., see Smith, T., (54) 55
Lymbery, A.J., see Hopkins, R.M., (54) 117

Maes, L., Bajyana Songa, E. and Hamers, R.
IMOL 881, a new trypanocidal compound, (54) 261
Magak, P., see Reimert, C.M., (54) 1
Mamman, M., see Peregrine, A.S., (54) 185
Mamman, M., see Kaminsky, R., (54) 19
Marbiah, N.T., see Hogh, B., (54) 105
Meuwissen, J., see Smith, T., (54) 55
Mnzava, A.E.P., Rwegoshora, R.T., Tanner, M., Msuya, F.H., Curtis, C.F. and Irare, S.G.
The effects of house spraying with DDT or lambda-cyhalothrin against *Anopheles arabiensis* on measures of malarial morbidity in children in Tanzania, (54) 141
Moloo, S.K., see Zweygarth, E., (54) 301
Msuya, F.H., see Mnzava, A.E.P., (54) 141
Mwanje, M.T., see Reimert, C.M., (54) 1
Mwankusye, S., see Smith, T., (54) 55

Olwit, G., see Workneh, W., (54) 89
Opperdoes, F.R., see Vansterkenburg, E.L.M., (54) 237
Ouma, J.H., see Reimert, C.M., (54) 1

Panicker, K.N., see Srinivasan, R., (54) 125
Peregrine, A.S. and Mamman, M.
Pharmacology of diminazene: a review, (54) 185
Peregrine, A.S., see Gray, M.A., (54) 291
Petersen, E., see Hogh, B., (54) 105
Pointier, J.P.
The introduction of *Melanoides tuberculata* (Mollusca: Thiaridae) to the island of Saint Lucia (West Indies) and its role in the decline of *Biomphalaria glabrata*, the snail intermediate host of *Schistosoma mansoni*, (54) 13
Poulsen, L.K., see Reimert, C.M., (54) 1

Qili, L., see Zhaowu, W., (54) 83

Reimert, C.M., Ouma, J.H., Mwanje, M.T., Magak, P., Poulsen, L.K., Vennervald, B.J., Christensen, N.., Kharazmi, A. and Bendtzen, K.
Indirect assessment of eosinophiluria in urinary schistosomiasis using eosinophil cationic protein (ECP) and eosinophil protein X (EPX), (54) 1
Rwegoshora, R.T., see Mnzava, A.E.P., (54) 141

Shapiro, T.A.
Inhibition of topoisomerases in African trypanosomes, (54) 251
Smith, T.
Book Review: Methods for field trials of interventions against tropical diseases: a toolbox, (54) 81
Smith, T., Charlwood, J.D., Kihonda, J., Mwankusye, S., Billingsley, P., Meuwissen, J., Lyimo, E., Takken, W., Teuscher, T. and Tanner, M.
Absence of seasonal variation in malaria parasitaemia in an area of intense seasonal transmission, (54) 55
Smithyman, T.M., see Hopkins, R.M., (54) 117
Srinivasan, R., Panicker, K.N. and Dhanda, V.
Population dynamics of *Phlebotomus papatasi* (Diptera:Phlebotomidae) in Pondicherry, India, (54) 125
Stolf, A.M.S., see Umezawa, E.S., (54) 41
Sutherland, I.A. and Holmes, P.H.
Alterations in drug transport in resistant *Trypanosoma congolense*, (54) 271

Takken, W., see Smith, T., (54) 55
Tanner, M., see Mnzava, A.E.P., (54) 141
Tanner, M., see Smith, T., (54) 55
Teuscher, T., see Smith, T., (54) 55
Thompson, R.C.A., see Hopkins, R.M., (54) 117
Turkson, P.K.
Seroepidemiological survey of cattle trypanosomiasis in coastal savanna zone of Ghana, (54) 73

Umezawa, E.S., Stolf, A.M.S. and Zingales, B.
Trypanosoma cruzi: different surface antigens of trypomastigotes are targets of lytic antibodies, (54) 41

Vansterkenburg, E.L.M., Coppens, I., Wilting, J., Bos, O.J.M., Fischer, M.J.E., Janssen, L.H.M. and Opperdoes, F.R.
The uptake of the trypanocidal drug suramin in combination with low-density lipoproteins by *Trypanosoma brucei* and its possible mode of action, (54) 237
Vennervald, B.J., see Reimert, C.M., (54) 1
Villa, N., see Hopkins, R.M., (54) 117

Willcox, M., see Hogh, B., (54) 105
Wilting, J., see Vansterkenburg, E.L.M., (54) 237
Woolhouse, M.E.J., see Gregory, R.D., (54) 131
Workneh, W., Fletcher, M. and Olwit, G.
Onchocerciasis in field workers at Baya Farm, Teppi Coffee Plantation Project, southwestern Ethiopia: prevalence and impact on productivity, (54) 89

Yapo, F.B., see Doua, F., (54) 163
Yarlett, N., see Bacchi, C.J., (54) 225

Zhaowu, W., Kaiming, B., Liping, Y., Guifeng, Y., Jinhua, Z. and Qili, L.
Factors contributing to reinfection with schistosomiasis japonica after treatment in the lake region of China, (54) 83
Zingales, B., see S.Umezawa, E., (54) 41
Zweygarth, E., Moloo, S.K. and Kaminsky, R.
Trypanosoma simiae: In vitro studies on drug susceptibility, (54) 301
Zweygarth, E., see Kaminsky, R., (54) 19

Volume 54

Key Word Index

Africa, (54) 153, (54) 163
African trypanosome, (54) 225, (54) 279
Aggregation, (54) 131
Animal trypanosomiasis, (54) 169
Anopheles funestus, (54) 55
Anopheles gambiae, (54) 55
Antigen detection, (54) 73
Axenic cultivation, (54) 301

Biological control, (54) 13
Biomphalaria glabrata, (54) 13

Cationic protein, (54) 1
Cattle, (54) 73
Chemosuppression, (54) 105
Chemotherapy, (54) 225, (54) 251, (54) 261
Children, (54) 105
China, (54) 83
Clinical malaria, (54) 105
CNS trypanosomiasis, (54) 205
Combination chemotherapy, (54) 205
Competitor snails, (54) 13
Complement-mediated lysis, (54) 41
Congo, (54) 99
Cutaneous leishmaniasis, (54) 77
Cymelarsan, (54) 169

DFMO, (54) 163, (54) 301
DL-α-Difluoromethylornithine, (54) 301
Difluoromethylornithine, (54) 225
Diminazene, (54) 185, (54) 251
Diminazene aceturate, (54) 19, (54) 291, (54) 301
DNA probe, (54) 31
DNA topoisomerase, (54) 251
Drug action, (54) 237
Drug carrier, (54) 237
Drug metabolism, (54) 215
Drug receptor, (54) 271
Drug resistance, (54) 19, (54) 185, (54) 215, (54) 271, (54) 291
Drug resistance;, (54) 279
Drug sensitivity, (54) 279
Drug susceptibility, (54) 301
Drug transport, (54) 271

ELISA, (54) 73
Encephalopathy, (54) 205
Eosinophil, (54) 1
Eosinophil protein X, (54) 1
Epidemic, (54) 153
Epidemiology, (54) 55
Essential fatty acid, (54) 99
Ethiopia, (54) 89
Etoposide, (54) 251

Fatty acid, (54) 99
Finite rate of natural increase, (54) 125

Giardia duodenalis, (54) 117
Glycoprotein, (54) 31

Homidium, (54) 169
Homidium bromide/chloride, (54) 291
House spraying, (54) 141
Human African trypanosomiasis, (54) 163

Immunofluorescence, (54) 117
IMOL 881, (54) 261
Inoculation rate, (54) 55
In vitro, (54) 19
In vitro assay, (54) 279
In vitro cultivation, (54) 291, (54) 301
Isoenzyme, (54) 31
Isometamidium, (54) 169, (54) 251
Isometamidium chloride, (54) 291, (54) 301
Ivory Coast, (54) 163

kDNA, (54) 251

Leishmania major, (54) 77
Leishmaniasis, (54) 125
Leishmanin skin test, (54) 77
Low-density lipoprotein, (54) 237
Lytic antibody, (54) 41

Malaria, (54) 55, (54) 105
Malaria parasitaemia prevalence, (54) 141
Mathematical model, (54) 55
Melanoides tuberculata, (54) 13
Melarsoprol, (54) 163
Mel Cy, (54) 301
Metacyclic trypanosome, (54) 291
Methylthioadenosine, (54) 225
Morbidity assessment, (54) 1

Natural survival, (54) 125
Negative binomial distribution, (54) 131
Neurotoxin, (54) 1

Onchocerciasis, (54) 89

Parasitaemia rate, (54) 141
Parasite density, (54) 141
Pentamidine, (54) 163, (54) 215, (54) 251
Pharmacology, (54) 169, (54) 185
Phlebotomus papatasi, (54) 125
Plasmodium falciparum, (54) 105
Polyamine metabolism, (54) 215, (54) 225
Population dynamics, (54) 125
Prevalence, (54) 73

Quinapyramine, (54) 169
Quinapyramine sulfate, (54) 301

Receptor-mediated endocytosis, (54) 237
Recrudescence, (54) 153
Ro 15–0216, (54) 301

S-Adenosylmethionine, (54) 225
Saint Lucia, (54) 13
Samorin, (54) 271
Sampling bias, (54) 131
Schistosoma haematobium, (54) 1
Schistosomiasis, (54) 83
Simulation study, (54) 131
Skin alterations, (54) 99
Sleeping sickness, (54) 153
Suramin, (54) 169, (54) 237, (54) 301
Surface antigen, (54) 41

Transmission, (54) 55
Treatment strategies, (54) 83
Trypanocide, (54) 261
Trypanosoma brucei, (54) 215, (54) 237
Trypanosoma brucei brucei, (54) 19
Trypanosoma brucei gambiense, (54) 31
Trypanosoma congolense, (54) 271, (54) 291
Trypanosoma cruzi, (54) 41
Trypanosoma equiperdum, (54) 251
Trypanosoma evansi, (54) 261
Trypanosoma simiae, (54) 301
Trypanosome, (54) 153
Trypanosomiasis, (54) 73, (54) 153, (54) 163, (54) 169, (54) 185, (54) 205, (54) 215, (54) 225, (54) 261, (54) 271, (54) 279
Trypomastigote, (54) 301
Tsetse fly, (54) 153

Urine, (54) 1

Variable surface antigen expression, (54) 117
Variable surface glycoprotein (VSG), (54) 31
Vector management, (54) 125

Work productivity, (54) 89

Zymodeme, (54) 31